











8th International Summer
Bönigen, Aug 9-11 2009

Dimeric IVIg contains natural anti-Siglec-9 autoantibodies and their anti-idiotypes

Alexander Schaub^{1,2,*}, Stephan von Gunten^{2,*}, Monique Vogel¹, Sandra Wymann¹,
Monika Rüeggsegger³, Beda M. Stadler¹, Martin Spycher³, Hans-Uwe Simon², Syl
Miescher^{1,3}.

¹Institute of Immunology, University Hospital Bern, Switzerland.

²Institute of Pharmacology, University Hospital Bern, Switzerland

³CSL Behring AG, Bern, Switzerland.

* Equal contribution

hool, Bönigen,
10-12, 2008

u^b



Huwiler

health and disease

trum Frankfurt
kologie und Toxikologie
ethe Universität
am Main





JOHANNES WOLFGANG GOETHE
UNIVERSITÄT
FRANKFURT AM MAIN

ZAFES

Stephanie Schwalm

Bern Summer School 2009

Hypoxia and nitric oxide stimulate
expression in EA.hy 926 cells



Uwe Zangemeister-Wittke, PKI

Tumor-targeting with new generation binders



Implication of sphingosine kinase and S1P in cancer drug resistance



VERSACE
JEANS COUTURE

1 deregulates cell cycle and sensitizes
cells to targeted therapy



levets, Uwe Zangemeister Wittke, Andrea Huwiler

8th Summer school PKI









